Instrument	Description	Age	Free	Other Languages?
General Mental Health				
Pediatric Symptom Checklist (<u>PSC-17</u> and <u>35</u>)	General parent-report mental health questionnaire designed for primary care settings, subscales available for internalizing, externalizing and attention problems, multiple languages	4 - 16 years	X	YES
Strength and Difficulties Questionnaire (SDQ)	General caregiver or youth self-report on emotional, conduct, hyperactivity, and peer problems as well as prosocial scale, multiple languages	4 - 17 years	X	YES
Global Appraisal of Individual Needs—short screener (GAIN-SS)	Caregiver or self-report general functioning scale with internalizing, externalizing, and substance problems subscales, multiple languages	Adolescence	X	YES
ADHD				
Behavior Rating Inventory of Executive Function (BRIEF)	An assessment of executive function behaviors at home and at school for children and adolescents.	5 - 18 years		NO
Conners Rating Scale	A parent-report measure that assesses children's problem behaviors, particularly symptoms of attention deficit hyperactivity disorder (ADHD) and related disorders (including oppositional defiant disorder and conduct disorder).	6 – 18 years - Administered. 8 – 18 years - Self-Reported.	Х	YES
Swanson, Nolan and Pelham Teacher and Parent Rating Scale (SNAP-IV)	The SNAP-IV is a 90-item tool, originally devised to screen for attention deficit hyperactivity disorder (ADHD), but can yield more general information. It takes 10 minutes to complete and provides symptomatology for children 6-18 years of age. The SNAP should be completed by parents or other caregivers, as well as teachers.	6 - 18 years	Х	YES
Vanderbilt ADHD rating scales	A psychological assessment tool for attention deficit hyperactivity disorder (ADHD) symptoms and their effects on behavior and academic performance.	6 – 12 years	Х	YES
Anxiety				
Generalized Anxiety Disorder (GAD 7)	A self-reported questionnaire for screening and severity measuring of generalized anxiety disorder (GAD), multiple languages	13-17 years	Х	YES

Screen for Child Anxiety Related Disorders (SCARED)	A self or parent-report screening questionnaire for different anxiety disorders.	8 – 18 years	X	YES
Spence Children's Anxiety Scale (SCAS)	A self-report screening questionnaire for anxiety disorders, multiple languages	8-12 years self-report 2.5-6.5 year parent report	Х	YES
Autism				
Autism Spectrum Quotient (AQ) for Adolescents	A caregiver questionnaire for assessing the severity of autism spectrum symptoms in adolescents, accessible from Autism Research Centre (ARC) at U of Cambridge, multiple languages	12 – 15 years	Х	YES
Childhood Autism Spectrum Test (CAST)	A caregiver questionnaire for assessing the severity of autism spectrum symptoms in children, from ARC, multiple languages	4 – 11 years	Х	YES
Modified Checklist for Autism in Toddlers (MCHAT)	A validated tool for screening children that assesses risk for autism spectrum disorder, multiple languages	16 – 30 months	Х	YES
Depression				
Center for Epidemiological Studies Depression Scale (CES-DC)	The Center for Epidemiological Studies Depression Scale for Children (CES-DC) is a 20-item self-report depression inventory with possible scores ranging from 0 to 60.	Adolescence	Х	NO
Patient Health Questionnaire (<u>PHQ-2</u> , <u>PHQ-9</u> , or <u>PHQ-A</u>)	Self-administered tools for assessing depression. PHQ-2 is a two- question pre-screener validated for adults. PHQ-9 is validated for adolescent use, multiple languages. PHQ-A is a modification targeted at adolescents.	13 – 17 years	Х	YES
Short Mood and Feeling Questionnaire (SMFQ)	Self-report depressive symptoms screen.	8 – 16 years	X	NO
Developmental Screens				

Ages and Stages Questionnaire (ASQ) – Third Edition	Helps parents provide information about the developmental status of their young child across five developmental areas: communication, gross motor, fine motor, problem solving, and personal-social.	21 versions: 2, 4, 6, 8, 9, 10, 12, 14, 16, 18, 20, 22, 24, 27, 30, 33, 36, 42, 48, 54, and 60 months of age.		YES
Ages and Stages Questionnaire – Social Emotional	Parent-completed tool with a deep, exclusive focus on children's social and emotional development.	9 versions: 2, 6, 12, 18, 24, 30, 36, 48, and 60 months of age.		YES
Brief Infant-Toddler Social and Emotional Assessment (BITSEA)	Designed to assess the social emotional problems and competencies of children.	12 – 35 months		YES
Parents' Evaluation of Developmental Status (PEDS)	An evidence-based method for detecting and addressing developmental and behavioral problems in children.	Birth to 7 years 11 months		YES
Early Childhood Screening Assessment (ECSA)	A screening tool to facilitate primary care pediatrician's identification of young children who need further assessment of their emotional and behavioral development.	1.5 – 5 years	Х	YES
Survey of Wellbeing of Young Children (SWYC)	Parent questionnaire about childhood developmental milestones, social/emotional development, and family risk factors, multiple languages	12 versions: 2, 4, 6, 9, 12, 15, 18, 24, 30, 36, 48, and 60 months of age	Х	YES
Eating Disorders				
Eating Attitudes Test (EAT-26)	A self-report measure of symptoms and concerns characteristic of eating disorders.	9 – 21 years	Х	YES

Substance Use Disorder				
CAGE	The CAGE questionnaire, the name of which is an acronym of its four questions, is a widely used screening test for problem drinking and potential alcohol problems.	Adolescence	Х	NO
CRAFFT Screening Interview	A behavioral health screening tool to screen adolescents for high risk alcohol and other drug use disorders.	21 years and under	Х	NO

Trauma Reaction (PTSD)				
Child and Adolescent	Caregiver questionnaire of child traumatic event exposure and trauma	7-17 years	Χ	YES
Trauma Screen (CATS)	reaction symptoms, Spanish available			
Child Trauma Screening	The Child Trauma Screening Questionnaire (CTSQ) is a 10-item self-	7-16 years	Χ	YES
Questionnaire (CTSQ)	report screen which can be used to assist in the identification of			
	children at risk of developing PTSD. The questions are designed to			
	assess traumatic stress reactions in children following a potentially			
	traumatic event.			
SCARED Trauma Stress	Brief 4 item self-report screening questionnaire of PTSD symptoms	7-19 years	Χ	YES
<u>Disorder Scale</u>				